



# for Tissue and Converting Lines

**IMPROVE**

- Efficiency
- Quality
- Safety

[procemex.com](http://procemex.com)

# OnePlatform for Tissue – Procemex Fully Integrated Solution



## Introduction

Procemex OnePlatform for tissue covers your quality and efficiency improvement needs on your tissue machine and converting line. It also makes it safer for operators to monitor key locations of the machines. Key elements for problem solving and troubleshooting on a tissue machine are Web Inspection and Web Monitoring systems. The paper defect and web break root cause information captured is used to reduce the number of web breaks and control product quality. In addition to that, the critical data is transferred with reel defect maps into converting lines to enable smart decisions supporting higher converting line runnability.

[Building defect detection on OnePlatform architecture has elevated Procemex to the leading position in the global surface inspection and monitoring market.](#)

## What Does OnePlatform Mean?

Our customers have a common question; “What is the difference between the Procemex solution and if we buy the Web Inspection system, Web Monitoring system and further vision application separately? This question can have different answers to different groups, as it touches operators, production management, quality assurance, IT, maintenance and project engineers. The basic elements are always the same.

## OnePlatform - One User Interface

The intuitive user interface is not designed for analysing tissue web breaks and defects separately. It has been designed to form a single unified user interface making it easy for operators to understand the relationship between defect and root cause and move seamlessly between the Web Inspection and Web Monitoring system. This makes it easy for operators to understand the real root causes for paper defects and web breaks created in earlier process stages.

- One interface for Web Inspection & Monitoring
- Web Inspection and Web Monitoring cameras synchronized with each other
- Pre-configurable paper defects activate Web Monitoring cameras
- Upstream root cause video evidence is only one click away
- Upstream monitoring camera access with red button at the side of defect map
- Web Inspection camera displayed is synchronized with Web Monitoring cameras
- Intuitive navigation to different archives such as breaks, defect root causes and events

## OnePlatform for IT

Procemex Smart Cameras process the data already inside the cameras and send the results via TCP/IP Network to the server, therefore only one server is needed for the whole system. It manages SQL database for storing and distributing data and communicates with 3rd party systems. Having one computer for the whole system data processing is beneficial, as it:

- Enables system virtualization by using Procemex server
- Enables system virtualization with preferred customer hardware and service
- Enables parallel server replication
- Enables easy backups

## OnePlatform for Maintenance

In addition to the shared data storage infrastructure and user interfaces, it also plays an important role, that there is only one application software covering both web inspection and monitoring. This makes it easy for maintenance and application engineers, as everything is handled in one unified way and there is no need to learn two systems. Web Inspection and Web Monitoring also share same lighting

and Smart Camera matrix technology eliminating multiple spare parts and extensive troubleshooting efforts.

## OnePlatform for Support

When our customers need us, our project managers, field service engineers, remote service engineers and service teams can quickly provide support for both Web Inspection and Web Monitoring. OnePlatform allows our support team to help you without application boundaries.

## OnePlatform for Longer System Lifetime

By developing our own Smart Camera technology in Tampere, Finland and continually pushing the boundaries of camera performance, we have been able to go beyond the compatibility problems of fast turning computer and off-the-shelf camera world. It seems that the systems built on standard technology today have an average lifetime from 5 to 7 years due to component obsolescence from OEM hardware manufacturers and lack of new components compatibility. Procemex builds systems that are future proof and backwards compatible. This is our promise to our customers, and it is one of our key values in Smart Camera development.

All Procemex systems starting from 2002 are compatible and can be extended or upgraded.

# Web Inspection

Procemex Web Inspection System provides you continuous detection of all paper defects plus a seamless integration to OnePlatform System. Procemex develops and manufactures their own Matrix Smart Camera and LED lights specifically for the pulp and paper industry.

## High Quality Photographic Imaging

- Matrix Smart Camera provides superior image quality with high speed machines
- Smart Camera auto shutter provides even exposure and illumination over multiple grades and shades of color, which enables fully automated grade settings
- Industry leading camera sensor light sensitivity and image bit depth
- Up to 700 MHz real time data processing inside the camera which is over 5 times faster standard Gig-E Data Protocol solutions

## Powerful LED Strobe Lighting

- Smart Camera pulses LED strobe only during image exposure; reducing heat generation due to decreased illumination time which significantly extends the life of the LED
- Strobing provides powerful illumination peak to stop the web movement, eliminate blur and produce photographic image quality
- Any LED segment can be changed at any time without creating a degradation in detection performance and the overall capabilities of the system

## Different Detection Geometries

The Smart Camera can make several independent measurements by pulsing different LED light profiles to flash sequentially for alternating inspection



Transmission Web Inspection

High Angle Reflection Web Inspection

Alternating Light Web Inspection

## HD Pinhole Cleaning Concept

Web Inspection is typically located at the end of tissue machine in dusty environment. Unique patented pinhole

camera beam or separate pinhole camera housing keep cameras clean.

## Installation Options

Utilizing Procemex carbon fiber beams guarantees evenness of illumination and a long-term alignment of cameras and lights. In case there is not enough space or if a lower price option is preferred, it is also possible to use separate

cameras and lights for the same purpose. This leads to more uneven illumination and extra maintenance/alignment work on cameras and lights is necessary over the lifetime of the system.




### Web Inspection Solution

(5600 mm/220" machine width) with discrete pinhole cameras and discrete strobe LED- lights


## Classification

- Matrix camera imaging provides higher quality images to the classification engine and increases accuracy over antiquated line-scan technology
- Procemex utilizes a floating defect filter to reliably separate defects in the sheet from floating dust and debris in the area
- Smart Camera enables direct pre-classification in the camera and real-time outputs are available for external use
- Post-classification beyond single inspection frame measurement utilizing all data available for the most accurate classification
- Advanced Classification utilizing the VisionAppster Platform for developing and acquiring tailored traditional and neural network classification algorithms

*"All Procemex delivered systems since 2002 are fully supported and compatible today"*



Pinhole Camera Frame and Light Frame



*"Our Commitment: Future Proof and Backwards Compatible Systems"*



Separate pinhole cameras and LED strobe lights

## Automatic Winder Target Control

A marker located at the end of the tissue machine puts an ink code with the MD position information on the edge of the sheet. A reader on the winder reads the code and synchronizes the defect map with the actual current position and enables an automatic stop or crawl function to react on customer defined defects.

- Automatic reel and defect map loading
- Customer roll set position can be overlaid
- Selected slow down or stop targets indicated on defect map




Pinhole Cameras filming Creping Blade / Edge Crack

## General System Features

- Reel number and paper grade imported and displayed
- Hide and unhide defect classes on scrolling defect map
- Possible to zoom in or zoom out defect map to cover several paper reels at the same time
- Planned customer roll set can be overlaid on the defect map and defect density by roll can be highlighted by color
- Repeat defect alarms based on 100+ machine elements such as fabric length or roll diameter
- Defect trends and reports by user defined time period
- Formation measurement
- TAPPI/ISO - dirt count capable

# Web Monitoring



Procemex Web Monitoring Cameras strategically placed along the tissue machine provide additional eyes for operators and the necessary information to determine the root cause of a web break and seam-

lessly integrates into the OnePlatform System. Procemex develops and manufactures their own Matrix Smart Camera and LED lights specifically for the pulp and paper industry.

## High Quality Photographic Imaging

Camera resolution tends to continuously advance and with today's camera technology it is more important than frame rate. In many cases it is difficult to utilize higher resolution cameras as the system is already using its full data transfer capacity. This is the common reason customers need to upgrade their system. This is especially relevant as 1 GigE network supports only 2,1 MP resolution with 50 frames per second (fps) or 1,9 MP with 60 fps, resolutions above that are not possible without reducing frame rate.

- Procemex Smart Camera resolution is not limited because the camera processes all the data in its own shell
- Complete video file is transferred to the server over TCP/IP network
- Architectural difference enables Procemex to take the next step in direction of 12 MP camera resolution



## Powerful LED Strobe Lighting

- Smart Camera pulses LED strobe only during image exposure; reducing heat generation due to decreased illumination time which significantly extends the life of the LED
- Utilizes indirect cooling unit that can use instrument air or water, that does not enter the light, eliminating the possibility for over-pressurizing and causing the window to explode.
- Strobbing provides powerful illumination peak to stop the web movement, eliminate blur and produce photographic image quality

- Lights are kept clean by applying a thin water layer on top of the protection window, this cleaning water can be used to cool the light


## HD Pinhole Cleaning Concept

As most of the cameras are located in wet or dusty positions, it is clear that keeping cameras and lights clean in harsh environment is most important. Procemex R&D has focused on perfecting HD Pinhole camera and image quality

- Procemex designed an industry leading pinhole housing cleaning concept
- Pressurized air discharging the front of the camera housing prevents particles from contaminating the lens
- Maintenance free

## General System Features

- Superior resolution with 2,1 and 12 MP Technology
- Cameras monitor paper and fabrics related issues
- Cameras are synchronized with each other with the accuracy of two frames
- Each camera features Region of Interest (ROI) to concentrate on a particular section of the sheet
- Image trending provides information on when significant events occur in the video
- Bookmarks can be tagged on images and image trends and video clips can be edited as needed
- Defects and root causes identified quickly for more efficient troubleshooting
- Real time images are available



Strobe LED light




Housing for HD Pinhole Camera



Procemex Smart Camera

# Machine Vision - Increase Converting Efficiency

Converting line can generate unwanted bottlenecks, when the quality of the tissue is not stable. With Procemex OnePlatform Tools on tissue and converting lines, the output can be optimized, and tissue rolls reach targeted quality.



Procemex OnePlatform Converting Tools reveal process and quality problems that cause breaks in converting. The Tools cover known key process locations.

## Unwind

- utilize synchronized Web Inspection data from tissue machine in order to take smart choices in terms of incoming roll selection, slowing down / stopping to web breaks and critical paper defects

## Printing Unit

- analyze print quality and perforation

## Embosser

- online monitoring of applicator roll for glue presence and embossing quality

## Rewinder

- follow process interruptions and analyze log diameter online

## Log Saw

- online monitoring of log saw blade maintenance needs

## Tissue Roll Quality Inspection

- inspect tissue roll visual appearance and automatically reject inferior quality rolls

## Final Packaging Applications

- inspect missing products and packaging outlook with necessary barcode / QR Code and text recognition tools

## General System Features

- 100% quick root cause analysis and inspection
- Reduce unknown breaks in tissue machine
- Event capturing in video format
- Reduce unknown breaks in converting line
- Easy user interface
- Increase your production by optimizing converting line speed
- Track costs per unit and reduce waste
- Improve your operating efficiency throughout the folding and packaging processes
- Quality measurements continue to become more and more strict, and your production needs meet the high standards

## Safety and Efficiency at Tissue Lines

### SAFETY


Improve your overall safety by providing visibility to inaccessible and gated machine areas.

### EFFICIENCY

Improve overall line efficiency by solving the root causes of process interruptions - synchronized visibility of the web across all camera views.

### QUALITY

Provide tools to identify quality problems, the output can be optimized, and tissue rolls reach targeted quality.



Care2Excel


# Procemex Service – Care to Excel

## Focus on high productivity, reliability and performance

For ensuring machine and process running reliability with good product quality, it is essential to keep the machine vision system performing at its optimal level during its entire lifecycle.

In every turn, we are your partner in

- Continuous development of your process with the most recent achievements of vision systems
- Improving the performance of your existing camera system with upgrades, which can be phased over a certain time period
- Supporting best performance and optimized maintenance through your vision system's lifecycle. Our full-scale services portfolio covers everything from 24/7 connected remote services to preventive maintenance and smart spare parts services.



Optimize process performance with low cost and high quality



Ensure machine and process are running reliably



Keep assets competitive throughout lifecycle



Get the right expertise when needed

## SERVICE AGREEMENTS

1. Remote Service Desk 9/5
2. Remote Service Desk 24/7
3. Remote Diagnostics & Reporting
4. On-site Service Visit
5. Customized Training
6. Data & System Security Update
7. System Software Update
8. Spare Part Management
9. Runnability troubleshooting with mobile system

Optimize process performance with low cost and high quality

Ensure machine and process are running reliably

Keep assets competitive throughout lifecycle

Get the right expertise when needed

## SYSTEM MODERNIZATIONS

The latest Procemex technologies are available for your current systems and we guarantee the downward compatibility with existing products. System extensions to meet the changes in process and to cover the blind spot area.

## SERVICE MODULES

Tailored long term maintenance and process support programs consisting of service modules most suitable for customer business

Predictable costs • Clear responsibilities • Continuous development  
Increased inhouse knowledge • Improved process performance



# procemex®

## OnePlatform for Tissue

Improve process performance

Reduce paper quality issues

More efficient troubleshooting

**FINLAND**  
**Jyväskylä**  
Headquarters, Sales,  
Manufacturing,  
Service, Administration

P.O.Box 306  
40101 Jyväskylä  
Finland  
Tel. +358 14 3372 111  
Fax +358 14 3372 130

**FINLAND**  
**Tampere**  
R&D, Marketing,  
Sales

Postitorvenkatu 14 B  
33840 Tampere  
Finland  
Tel. +358 14 337 2111

### BRANCH OFFICES

#### Procemex Inc.

777 Lowndes Hill Rd.  
Building 3, Suite 325  
Greenville, SC 29607  
U.S.A.  
Tel. +1 (864) 720-1510

#### Procemex GmbH

Neuwieder Straße 30b  
D-56269 Dierdorf  
GERMANY  
Tel. +49 2689 972 6860

#### Procemex Japan Ltd.

Fumiei bldg.  
3F, 3-18-36 Minami Ikebukuro  
Toshima-ku  
Tokyo 171-0022, Japan  
Tel. +81 3 6820 2109

[info@procemex.com](mailto:info@procemex.com)

[procemex.com](http://procemex.com)